



IT認證考試題庫 專業平臺

考證寶提供最新考古題與模擬試題
協助您高效通過認證考試

www.kaozhengpro.com

Exam : **1Z0-447**

Title : Oracle GoldenGate 12c
Implementation Essentials

Version : DEMO

1.What is the purpose of a VAM parameter?

- A. It specifies that a Vendor Access Module is being used to perform data transformation functions.
- B. It specifies that a Vendor Access Module is being used to perform data capture functions.
- C. It specifies that a Virtual Access Module is being used to perform data capture functions.
- D. It specifies that Virtual Application Memory is being used to perform data replication functions.

Answer: B

Explanation:

Reference:

https://docs.oracle.com/goldengate/1212/gg-winux/GWURF/gg_parameters189.htm#GWURF737

2.You are migrating from a legacy database server to Exadata, which requires you to use different versions of GoldenGate.

What do you need to configure to ensure that backwards replication works?

- A. The Replicat with the FORMAT RELEASE parameter.
- B. The Extract with the FORMAT RELEASE parameter.
- C. The Extract to write directly to the remote trail.
- D. The collector with the FORMAT RELEASE parameter.

Answer: A

3.You are experiencing an issue with the downstream database server for the Integrated Capture Downstream Model.

Which step should you take to resolve the issue?

- A. Ensure that the Oracle database version on the downstream database server is the same version as the source Oracle version.
- B. Ensure that the platform type of the downstream database server is the same platform as the source database server.
- C. Ensure that the GoldenGate version used on the downstream database server is the same version used on the source database server.
- D. Ensure that the GoldenGate version used on the downstream database server is the same version used on the target database server.

Answer: B

Explanation:

Reference: https://docs.oracle.com/goldengate/1212/gg-winux/GIORA/ic_deploy.htm#GIORA472

4.Which syntax would you use in an OBEY script to stop a process without waiting for user input?

- A. stop * noinput
- B. stop immediate *
- C. stop * !
- D. stop force *

Answer: C

5.What is the SOCKSPROXY subparameter of the RMTHOST parameter typically used for?

- A. replicating information using a SOCKS5 proxy server, thereby creating a tunnel for TCP communication between a source Extract and a target process

- B. connecting to a source database via secure communication
- C. remote capturing
- D. configuring remote database access

Answer: A

Explanation:

Reference: http://www.dba86.com/docs/oracle/ogg/E66315_01/gg-winux/GWURF/rmthost.htm#GWURF631