



IT認證考試題庫 專業平臺

考證寶提供最新考古題與模擬試題
協助您高效通過認證考試

www.kaozhengpro.com

Exam : **1Z1-034**

Title : Upgrade Oracle9i/10g OCA
to Oracle Database 11g
OCP

Version : DEMO

- 1.Which two statements are true about setting the FAST_ START_ MTTR_ TARGET initialization parameter to a nonzero value?
- A. The MTTR advisor will be disabled.
 - B. Automatic checkpoint tuning will be enabled.
 - C. The value for the LOG_CHECKPOINT_INTERVAL initialization parameter will be override the value for FAST_START_MTTR_TARGET.
 - D. The time taken to recover the instance after the crash is always exactly the same as the value given for the FAST_START_MTTR_TARGET initialization parameter.

Answer: B,C

- 2.You have set the value of the NLS_TIMESTAMP_TZ_FORMAT parameter to YYYY-MM-DD. The default format of which two data types would be affected by this setting?
- A. DATE
 - B. TIMESTAMP
 - C. INTERVAL YEAR TO MONTH
 - D. INTERVAL DAY TO SECOND
 - E. TIMESTAMP WITH LOCAL TIME ZONE

Answer: B,E

- 3.Which two statements are true regarding the functionality of the remap command in ASMCMD?
- A. It repairs blocks that have read disk I/O errors.
 - B. It checks whether the alias metadata directory and the file directory are linked correctly.
 - C. It repairs blocks by always reading them from the mirror copy and writing them to the original location.
 - D. It reads the blocks from a good copy of an ASM mirror and rewrites them to an alternate location on disk if the blocks on the original location cannot be read properly.

Answer: A,D

- 4.What happens when you run the SQL Tuning Advisor with limited scope?
- A. Access path analysis is not performed for SQL statements.
 - B. SQL structure analysis is not performed for SQL statements.
 - C. SQL Profile recommendations are not generated for SQL statements.
 - D. Staleness and absence of statistics are not checked for the objects in the query supplied to the SQL Tuning Advisor.

Answer: C

- 5.Which options would you consider while configuring a flash recovery area (fast recovery area in 11g Release 2) for your production database that is running in ARCHIVELOG mode? (Choose all that apply.) (Choose all that apply.)
- A. setting the FAST_START_MTTR_TARGET to set the mean time to recover
 - B. setting the RECOVERY_PARALLELISM parameter to twice the number of CPUs
 - C. using the DB_RECOVERY_FILE_DEST parameter to set the location for flash recovery area
 - D. using the DB_RECOVERY_FILE_DEST_SIZE parameter to define the disk space limit for the recovery files created in the flash recovery area.

Answer: C,D