



IT認證考試題庫 專業平臺

考證寶提供最新考古題與模擬試題
協助您高效通過認證考試

www.kaozhengpro.com

Exam : **1Z1-063**

Title : Oracle Database 12c:
Advanced Administration

Version : Demo

1.Which two are prerequisites for creating a backup-based duplicate database?

- A. connecting to the target database and a recovery catalog to execute the duplicate command
- B. creating a password file for an auxiliary instance
- C. connecting to an auxiliary instance
- D. matching the database identifier (DBID) of the source database and the duplicate database
- E. creating an SPFILE for the target database

Answer: A,B

Explanation:

Reference:http://docs.oracle.com/cd/E11882_01/backup.112/e10643/rcmsynta020.htm#CH_DEDFFH

2.You are administering a multitenant container database (CDB) cdb1.

Examine the command and its output:

```
SQL>show parameterfile
```

```
NAMETYPEVALUE
```

```
-----  
db_create_file_deststring  
db_file_name_convertstring  
db_filesinteger200
```

You verify that sufficient disk space is available and that no file currently exists in the '/u01/app/oracle/oradata/cdb1/salesdb' location.

You plan to create a new pluggable database (PDB) by using the command:

```
SQL>CREATEPLUGGABLEDATABASESALESPDB
```

```
ADMINUSERSalesadmIDENTIFIED 3Y password
```

```
ROLES=(dba)
```

```
DEFAULTTABLESPACEsales
```

```
DATAFILE' /u01/app/oracle/oradata/cdb1/salesdb/sales01 .dbf'SIZE 250M AUTOEXTEND  
ON
```

```
FILE_NAME_CONVERT=('/u01/app/oracle/oradata/cdb1/pdbseed',  
'/u01/app/oracle/oradata/cdb1/salesdb')
```

```
STORAGE(MAXSIZE2G)
```

```
PATK_PREFIX='/u01/app/oracle/oradata/cdb1/SALESPDB';
```

Which statement is true?

- A. SALESPDB is created and is in mount state.
- B. PDB creation fails because the D3_file_name_convert parameter is not set in the CDB.
- C. SALESPDB is created and is in read/write mode.
- D. PDB creation fails because a default temporary tablespace is not defined for SALESPDB.

Answer: B

3.You are administering a multitenant container database (CDB) that contains multiple pluggable databases (PDBs). You are connected to cdb\$root as the sys user.

You execute the commands:

```
SQL> CREATE USER C##ADMIN IDENTIFIED BY orcll23;
```

```
SQL> CREATE ROLE C##CONNECT;
```

```
SQL> GRANT CREATE SESSION, CREATE TABLE, SELECT ANY TABLE TO
```

C##CONNECT;

SQL> GRANT C##CONNECT to C##ADMIN CONTAINER=ALL;

Which statement is true about the c##connect role?

- A. It is created only in cdb\$root and cannot be granted to the c##admin user with the container=all clause.
- B. It is granted to the c##admin user only in the CDB.
- C. It is granted to the c##admin user in all PDBs and can be granted only to a local user in a PDB.
- D. It is granted to the c##admin user in all PDBs and can be granted object and system privileges for a PDB.

Answer: C

4.Examine the command:

```
$expdp SYSTEM FULL=YES DUMPFILE=dpump_dir1:full1%U.dmp, dpump_dir2:full2% U.dmp, dpump_dir3:full3%U.djnp FILESIZE=400M PARALLEL=3 JOB_NAME=expfull
```

Which statement is true about the execution of the command?

- A. It fails because the log file parameter is not specified.
- B. It fails because no absolute path is specified for the log file and dump file.
- C. It succeeds and exports the full database, simultaneously creating three copies of dump files at three different locations.
- D. It succeeds and exports the full database, simultaneously creating three dump files at three different locations, but the total number of dump files can exceed three.

Answer: B

5.Which three statements are true about a job chain?

- A. It can contain a nested chain of jobs.
- B. It can be used to implement dependency-based scheduling.
- C. It cannot invoke the same program or nested chain in multiple steps in the chain.
- D. It cannot have more than one dependency.
- E. It can be executed using event-based or time-based schedules.

Answer: A,B,E

Explanation:

Reference:http://docs.oracle.com/cd/B28359_01/server.111/b28310/scheduse009.htm#AD MIN12459