



IT認證考試題庫 專業平臺

考證寶提供最新考古題與模擬試題
協助您高效通過認證考試

www.kaozhengpro.com

Exam : **2B0-020**

Title : **ES NetSight Atlas**

Version : **DEMO**

1. Which of the following device communication methods is used by MIB Tools?

- A. SNMPv1
- B. SNMPv3 Credential
- C. SNMPv3 Profile
- D. Max Access/Super User
- E. All of the above
- F.A and C only

Answer: E

2. Which of the following definition(s) best describes the difference between managers and agents in SNMPv1 and SNMPv3?

- A. In SNMPv1, the manager and agent were distinctly different but performed overlapping functions. Managers resided on workstations; agents on remote devices.
- B. In SNMPv3, a distributed interacting collection of SNMP entities can reside on both management workstations and remote devices. Because each entity implements a portion of SNMP capability, an entity can act as an agent, a manager, or a combination of the two.
- C. In SNMPv1, the manager and agent were distinctly different and performed discrete functions: the manager ran applications; the agent provided functionality. Managers resided on workstations; agents on remote devices.
- D.Aand B
- E.B and C
- F.All of the above

Answer: E

3. A MIB not supported on all devices should be assigned to which SNMP Request Group, when defining a FlexView?

- A. Group 1
- B. Group 2
- C. Group 3
- D. Group 4

E. All of the above F. B or C only

Answer: F

4. What are the three predefined groups in Inventory Manager Network Elements?

A. Chassis, Device Type and IP

B. Chassis, Matrix and X-Pedition

C. Matrix, SmartSwitch and X-Pedition

D. Matrix, X-Pedition and IP

Answer:A

5. How can network masks be displayed in CIDR notation in Router Services Manager?

A. By selecting CIDR in the Network Mask option of Tools > Options

B. By selecting CIDR in the device properties window

C. By selecting Dot Delimited in the Display option of Tools > Options

D. It is not possible to have network masks displayed in CIDR notation

Answer:A

6. The MIB Tools Utility allows you to do all of the following, EXCEPT

A. View object definitions

B. Set object values

C. Change IP addresses on devices

D. Search for objects

E. Browse the MIB database

Answer: C

7. Which of the following statements are true about FlexViews?

A. You can use the FlexView editor to define as many FlexViews as you want.

B. You can create custom tabs to display desired MIB information.

C. The FlexView Wizard is not available with Atlas Lite.

D. All of the above

E. A and C only

Answer: D

8. What is the name of the file that defines the absolute path to your NetSight Plug-In applications?

A. PlugIn.details

B. common

C. NetSight.properties

D. Atlas.config

Answer: C

9. The relationship among remote devices in each map is automatically generated by Console when you click the Retrieve button.

A. True

B. False

Answer: B

10. What are the three tabs in the left panel of Inventory Manager?

A. Devices, Traps, Archives

B. Network Elements, Firmware Management, Configuration Management

C. Details View, Archives, Chassis

D. Properties, VLAN, Compass

Answer: B

This document was created with Win2PDF available at <http://www.win2pdf.com>.
The unregistered version of Win2PDF is for evaluation or non-commercial use only.
This page will not be added after purchasing Win2PDF.