



KaozhengPro

IT認證考試題庫 專業平臺

考證寶提供最新考古題與模擬試題
協助您高效通過認證考試

www.kaozhengpro.com

Exam : **C8-CP-DV**

Title : Camunda Certified
Professional - Developer

Version : DEMO

1. When modeling a process involving multiple departments within the same organization, which BPMN element is used to visually separate responsibilities?

- A. Pools
- B. Lanes
- C. Subprocesses
- D. Parallel Gateways

Answer: B

Explanation:

Lanes divide a Pool into distinct roles, departments, or responsibilities, ensuring clarity in task allocation within a single organization. They improve readability by visually organizing tasks under specific entities.

2. A _____ marker in BPMN is used to repeat a task for every item in a collection either sequentially or in parallel.

- A. Multi-Instance
- B. Loop
- C. Inclusive
- D. Parallel

Answer: A

Explanation:

The Multi-Instance marker is applied to tasks that iterate over a collection of data. It is often used when repetitive tasks need to process multiple elements either in parallel or sequentially.

3. Which BPMN gateway should be used to ensure that only one outgoing path is executed based on conditions?

- A. Exclusive Gateway
- B. Inclusive Gateway
- C. Parallel Gateway
- D. Event-Based Gateway

Answer: A

Explanation:

Exclusive Gateways evaluate conditions and select one outgoing path. They are used in decision points where only one flow can proceed based on the logic.

4. A BPMN User Task is best suited for:

- A. System-to-system communication
- B. Human interaction with the process through a user interface
- C. Rule-based automation of decisions
- D. Sending messages asynchronously

Answer: B

Explanation:

User Tasks represent tasks performed by human users interacting with a system interface. Examples include data entry, approvals, or reviewing documents.

5. When a process must wait for a signal from another workflow to continue, which BPMN event type

should be used?

- A. Message Event
- B. Signal Event
- C. Timer Event
- D. Error Event

Answer: B

Explanation:

Signal Events handle broadcast signals within or across workflows. They are ideal for triggering or synchronizing activities between different processes.