



KaozhengPro

# IT認證考試題庫 專業平臺

考證寶提供最新考古題與模擬試題  
協助您高效通過認證考試

[www.kaozhengpro.com](http://www.kaozhengpro.com)

**Exam** : **C\_BOWI\_41**

**Title** : SAP Certified Application  
Associate – SAP  
BusinessObjects Web

**Version** : Demo

1.Which three rules apply when you manually synchronize queries?

- A. Dimension value formats must be the same.
- B. Dimensions with different names can be merged.
- C. Dimensions with different data types can be merged.
- D. Dimensions from multiple data sources can be merged.

**Answer:** A,B,D

2.Which Pos() function syntax should you use to find the location of the space in the Category string "Evening wear"?

- A. Pos([Category] , "" )
- B. Pos((Category) , "" )
- C. Pos([Category] ; " " )
- D. Pos({Category} ; " " )

**Answer:** C

3.Which two functions could you use to concatenate the First Name and Last Name objects?

- A. =[First Name]+[Last Name]
- B. =[First Name]&[Last Name]
- C. =[First Name]||[Last Name]
- D. =Concatenation([First Name];[Last Name])
- E. =Concatenation([First Name],[Last Name])

**Answer:** A,D

4.Where do you view merged dimensions?

- A. In the Report Map pane
- B. In the Available Objects pane
- C. In the Document Structure and Filters pane
- D. In the Query panel

**Answer:** B

5.You want to force the calculation context for a variable in a large report with many dimensions. Which operator allows you to add a dimension to the default context?

- A. In
- B. All
- C. ForAll
- D. ForEach

**Answer:** D