



IT認證考試題庫 專業平臺

考證寶提供最新考古題與模擬試題
協助您高效通過認證考試

www.kaozhengpro.com

Exam : **C_TERP10_66**

Title : SAP Certified Associate -
Business Process
Integration with SAP ERP
6.0 EHP6

Version : DEMO

1. In SAP Enterprise Asset Management, the first step of the corrective maintenance process is to create a notification.

What data is collected in a notification? (Choose two)

- A. Actual repair costs
- B. Operations
- C. Tasks
- D. Activities

Answer: C, D

2. To which organizational units can a maintenance planning plant be assigned?

- A. To maintenance plants
- B. To controlling areas
- C. To functional locations
- D. To storage locations

Answer: A

3. Which of the following objects are technical objects in SAP Enterprise Asset Management? (Choose three)

- A. Work center
- B. Equipment
- C. Reference object
- D. Functional location
- E. Bill of material

Answer: B, D, E

4. You want to create one bill of material (BOM) to be used for several equipment master records. Therefore, you create a material BOM.

In which field do you enter the corresponding material number to assign this material BOM to the equipment master record?

- A. In the Structure Indicator field
- B. In the Construction Type field
- C. In the Order Type field
- D. In the Usage Times field

Answer: B

5. A non-stock item is assigned to a plant maintenance order.

Which document is generated when the order is released or saved?

- A. A purchase requisition
- B. A purchase order
- C. A material document
- D. An inventory reservation

Answer: A