



# IT認證考試題庫 專業平臺

考證寶提供最新考古題與模擬試題  
協助您高效通過認證考試

[www.kaozhengpro.com](http://www.kaozhengpro.com)

**Exam** : **Foundations of  
Programming Python**

**Title** : Foundations of  
Programming (Python) -  
E010 JIV1

**Version** : DEMO

1.What must be consistent within a Python code block for the code to run without syntax errors?

- A. Variable names
- B. Indentation level
- C. Comment placement
- D. Line length

**Answer: B**

**Explanation:**

In Python, indentation is used to group statements into a code block. A block must have a consistent indentation level so Python can correctly understand which statements belong together.

For example:

if True:

```
print("Hello")
```

```
print("World")
```

Both print() statements belong to the same if block because they use the same indentation level.

If indentation is inconsistent, Python can raise an Indentation Error or Tab Error.

Therefore, the correct answer is B. Indentation level.

2.Which data type does the expression  $5 > 3$  evaluate to in Python?

- A. Integer
- B. String
- C. Boolean
- D. Float

**Answer: C**

**Explanation:**

In Python, comparison expressions such as  $5 > 3$  evaluate to a Boolean value.

The expression:

```
5 > 3
```

checks whether 5 is greater than 3. Since this statement is true, Python returns:

```
True
```

True and False are Boolean values in Python.

Therefore, the correct answer is C. Boolean.

3.Which type of loop repeatedly checks a condition to determine whether to continue?

- A. for loop
- B. while loop
- C. range loop
- D. repeat loop

**Answer: B**

**Explanation:**

Awhile loop repeatedly executes a block of code as long as its condition remains true.

Example:

```
count = 1
```

```
while count <= 3:
```

```
print(count)
```

count += 1

In this example, Python checks the condition `count <= 3` before each loop iteration. If the condition is true, the loop continues. When the condition becomes false, the loop stops.

A for loop is usually used to iterate over a sequence, such as a list, string, or range. Python does not have a built-in repeat loop construct.

Therefore, the correct answer is B. while loop.

4.What determines which lines of code are executed when the condition is true in a Python if statement?

- A. Lines that are enclosed in parentheses
- B. Lines that share the same indentation level
- C. Lines that end with semicolons
- D. Lines that are enclosed in square brackets

**Answer: B**

**Explanation:**

In Python, indentation determines which statements belong to an if block.

Example:

```
temperature = 30
if temperature > 25:
    print("It is warm.")
    print("Drink water.")
```

Both `print()` statements are executed when the condition is true because they share the same indentation level under the if statement.

Python does not use parentheses, semicolons, or square brackets to define the body of an if statement. It uses indentation.

Therefore, the correct answer is B. Lines that share the same indentation level.

5.Which components are required in every Python for loop?

- A. A variable, an iterable, and an indented code block
- B. A condition, a counter, and a break statement
- C. A function call, a parameter, and a return value
- D. A list index, a range limit, and a step value

**Answer: A**

**Explanation:**

A Python for loop is used to iterate over an iterable object, such as a list, tuple, string, dictionary, set, or `range()` object.

A basic for loop needs:

A loop variable

An iterable object

An indented code block

Example:

```
for number in range(3):
    print(number)
```

In this example:

number is the loop variable.

`range(3)` is the iterable.

`print(number)` is the indented code block that runs during each loop iteration.

According to the official Python documentation, the `for` statement is a construct that works with iterable objects.

Therefore, the correct answer is A. A variable, an iterable, and an indented code block.