



IT認證考試題庫 專業平臺

考證寶提供最新考古題與模擬試題
協助您高效通過認證考試

www.kaozhengpro.com

Exam : **HP0-091**

Title : HP-UX System
Administration

Version : DEMO

1.How do you set up a device swap area and ensure it is active at each system startup?

- A.Start device swapping using the swapon command on an existing file system mount point.
- B.Start device swapping using the swapon command on a logical volume; add an entry to the /etc/fstab file.
- C.Start device swapping using the swapon command on a logical volume; add an entry to the /etc/sfstab file.
- D.Start device swapping using the swapon command on a logical volume; add an entry to the /etc/vfstab file.

Correct:B

2.Which commands can be used to create device files? Select TWO.

- A.mkdevice
- B.insf
- C.fsadm
- D.mksf
- E.devstart

Correct:B D

3.What is the purpose of the lost+found directory?

- A.allows fsck to recover orphaned files and directories
- B.required on JFS file systems for journaling
- C.functions as a trash can for the file system
- D.a temporary storage for deleted files

Correct:A

4.Which command is used to recreate the /stand/system file?

- A.system_prep
- B.mkkernal
- C.vi system
- D.frecover
- E.sysgen

Correct:A

5.Which level is used by fbackup to complete a full backup?

- A.0
- B.1
- C.9
- D.F
- E.V

Correct:A

6.How does root allow an ordinary user to add/remove printers in SAM?

- A.not possible
- B.edit sam.allow
- C.set the UID bit
- D.establish a restricted build

Correct:D

7.Place the steps to install a fibre channel card in the correct order.

Order the correct steps to install a fibre channel card.

Steps	Order
install driver	place step 1 here
boot system	place step 2 here
run ioscan	place step 3 here
install hardware	place step 4 here
shutdown	place step 5 here

Correct:

Green choice1---->Yellow Choice1

Green choice4---->Yellow Choice2

Green choice2---->Yellow Choice5

Green choice3---->Yellow Choice4

Green choice6---->Yellow Choice3

8.If /tmp is 100% full, which commands are used to determine its volume location and if free space is available on that disk?

- A.bdf, vgdisplay
- B.lvdisplay, diskinfo
- C.bdf, lvdisplay, pvdisplay
- D.vgdisplay, lvdisplay, diskinfo

Correct:C

9.Order the steps required to perform a complete integrity check of a journaled file system.

Order the steps required to perform a complete integrity check of a journaled file system /data

Steps

`mount /data`

`fsck -F jfs -o full,nolog /data`

`fsck -F /data`

Check the lost+found directory for orphans

Close all open files and directories

`umount /data`

`shutdown -r now`

Steps in order

place step 1 here

place step 2 here

place step 3 here

place step 4 here

place step 5 here

Correct:

Green choice1---->Yellow Choice4

Green choice3---->Yellow Choice1

Green choice5---->Yellow Choice2

Green choice4---->Yellow Choice5

Green choice7---->Yellow Choice3

10. During a run-state change from run level 1 to run level 2 , which script would be run last?

A./sbin/rc2.d/K900nfs.server

B./sbin/rc2.d/S500inetd

C./sbin/rc2.d/S430nfs.client

D./sbin/rc2.d/K200tps.rc

E./sbin/rc2.d/S620xfs

Correct:E

11. In which directory does HP-UX supply default templates for the user startup files?

A./usr/home

B./etc/skel

C./home/template

D./etc/tmp

Correct:B

12. Which statement is true regarding a device file's major number?

A. It is determined by its hardware address.

B. It points to the associated kernel driver.

C. It is used to allocate buffer space.

D. It determines the device's interrupt priority.

E.It sets the kernel response timeout in tics.

Correct:B

13.What describes the difference between block and character I/O?

- A.Block I/O is used to send data to disk and character I/O is not.
- B.Character I/O is used to send data to disk and block I/O is not.
- C.Block I/O goes through the buffer cache and character I/O does not.
- D.Character I/O goes through the buffer cache and block I/O does not.
- E.Block I/O is for large data transfers only and character I/O is for small data transferd only.

Correct:C

14.You attempt to unmount a file system, /mydata, and get an error stating "device busy". How do you determine the cause?

- A.showmount -a
- B.fuser -uc /mydata
- C.showmount /mydata
- D.mount -v /mydata
- E.cat /etc/mnttab

Correct:B

15.Which file does an HP-UX administrator edit to turn the bootp daemon on at boot?

- A./etc/bootp
- B./etc/inetd.conf
- C./etc/rc.config.d/netconf
- D./etc/rc.config.d/netdaemon

Correct:B

16.What could possibly solve a paging problem?

- A.add more NICs
- B.add more CPUs
- C.add more memory
- D.add more internal disks
- E.increase swap space

Correct:C

17.How do you change a volume group name without unloading the data?

- A.It is not possible.
- B.vgchange
- C.vgexport, mkdir, mknod, vgimport
- D.vgremove, mkdir, mknod, vgcreate

Correct:C

18.What does the pvcreate command create?

- A.a hard partition
- B.a physical volume device file
- C.the lvm disk resident structures
- D.the physical links

Correct:C

19.What do physical volume links (pv links) provide?

- A.access to a spare disk

- B.automatic load balancing
- C.an alternate path to a disk
- D.improved RAID performance

Correct:C

20.Which command shows all physical volumes in a volume group?

- A.vgdisplay
- B.pvdisplay
- C.lvdisplay
- D.lvmdisplay

Correct:A