



# IT認證考試題庫 專業平臺

考證寶提供最新考古題與模擬試題  
協助您高效通過認證考試

[www.kaozhengpro.com](http://www.kaozhengpro.com)

**Exam** : **HP0-094**

**Title** : HP-UX Networking and  
Security

**Version** : DEMO

**1. When mounting a file system from an NFS client, which configuration file is used to name the local mount point?**

- A. fstab
- B. nfstab
- C. exports
- D. nfs.conf

**Correct: A**

**2. What is the meaning of the following ARP table entry? # arp -a foo (10.0.0.2) at (incomplete)**

- A. Node foo only supports proxy ARP.
- B. The ARP table entry for node foo has expired.
- C. An ARP request was sent for node foo, but there was no ARP response.
- D. An ARP request was sent for node foo, but only a partial response was received.

**Correct: C**

**3. How should you grant NFS filesystem access to individual users as opposed to all users?**

- A. create a group accessible mount point
- B. specify a netgroup in the /etc/exports file
- C. add the users to the /etc/exports file using the form host:uid/gid
- D. add the users to the /etc/exports file using the form host:username

**Correct: B**

**4. Which protocol allows your server to discover the IP address of another server based on the other server's name?**

- A. ARP
- B. PPP
- C. DNS
- D. DHCP
- E. BOOTP

**Correct: C**

**5. What is used for the implementation of Internet name designations as specified in RFC 1034 and RFC 1035?**

- A. INS
- B. BIND
- C. SIND
- D. DHCP

**Correct: B**

**6. A customer reports that pings to node FOO take a long time, then fail with "unknown host". Of the options given, what is the next logical troubleshooting step?**

- A. telnet FOO
- B. nslookup FOO
- C. ps -ade | grep ping
- D. ping the IP address of FOO

**Correct: B**

**7. Which directory does the template for your new sendmail.cf file reside?**

- A. /etc/mail/
- B. /etc/mail/sendmail/

- C./usr/share/sendmail-cf/
- D./usr/newconfig/etc/mail/
- E./var/templates/shared/mail/

**Correct:D**

**8.Given the following configuration in the named zone file: hp.com IN MX 10 tiger.hp.com IN MX 20 mail.hp.com IN MX 30 relay.hp.com Assuming tiger.hp.com is NOT accessible through the firewall, which statement is true regarding messages addressed to tiger.hp.com?**

- A.Incoming mail will be returned to sender as undeliverable.
- B.Incoming mail will arrive on mail and will be forwarded to relay waiting on tiger.
- C.Incoming mail will arrive on tiger but will not be accessible until the firewall is turned off.
- D.Incoming mail will arrive on mail and will be forwarded to tiger as it becomes accessible.

**Correct:D**

**9.When you start the sendmail service, you would like to have the mail written to /var/adm/syslog/mail.log. What should you do?**

- A.Modify the mail.conf file to add the new location.
- B.No special action is required because that is the default location.
- C.Append -oL/var/adm/syslog/mail.log to the end of command line.
- D.Append -f/var/adm/syslog/mail.log to the end of the command line.
- E.Append -lf/var/adm/syslog/mail.log to the end of the command line.

**Correct:B**

**10.When you set up an 8 CPU DHCP server, how many subnets can you configure per pool?**

- A.1
- B.2
- C.4
- D.8

**Correct:A**

**11.Which states are valid for DHCP? (Select two.)**

- A.init
- B.select
- C.rebind
- D.reboot
- E.broadcast

**Correct:D E**

**12.Which combination of NFS mount options provides the best chance of avoiding client hangs?**

- A.retry=2,hard
- B.retry=4,soft
- C.retry=6,hard,intr
- D.retry=3,retrans=6

**Correct:B**

**13.Which command dismounts an NFS mounted filesystem?**

- A.mount -r /mnt
- B.unmount /mnt
- C.mntab -x /mnt
- D.umount server:/mnt

**Correct:D**

**14.During the configuration process for sendmail, which command is run to determine the default hostname to be used for delivery?**

- A.uname -s
- B.getuname
- C.sendmail -h
- D.hostname -s
- E.gethostname

**Correct:E**

**15.What does the DHCP device group allow for?**

- A.automatic startup of DHCP tools
- B.multiple subnets to be specified for each pool
- C.callback routines within the /etc/dcptab file
- D.different types of clients to receive different parameters

**Correct:D**

**16.Execution of the telnet foo command results in a connection refused by foreign host error message. Which file on node foo could be modified to allow TELNET connections?**

- A./etc/hosts
- B./etc/networks
- C./etc/inetd.conf
- D./etc/svc.conf

**Correct:C**

**17.What is an SNMP trap?**

- A.an event sent by the Network Management Station to a client
- B.host response to a Network Management Station status request
- C.an unsolicited event notifying the Network Management Station of a change
- D.Network Management protocol interrupt generated by a Management Station

**Correct:C**

**18.Which file is the configuration file for the Network Time Protocol daemon?**

- A.rc.conf
- B.ntp.conf
- C.timed.conf
- D.ntp\_config.file

**Correct:B**

**19.Which /etc/inetd.conf entries should be disabled in order to disable the remote procedure calls to the system? (Select two.)**

- A.rpc.rexd
- B.rpc.ncall
- C.rpc.rusers
- D.rpc.remsh

**Correct:A C**

**20.In order to restrict the access to the /etc/passwd file through ftp, which statement should be included in the /etc/ftpd/ftpaccess file?**

- A.noaccess /etc/passwd

B.noretrieve /etc/passwd

C.accessdeny /etc/passwd

D.suppressaccess /etc/passwd

**Correct:B**