



KaozhengPro

# IT認證考試題庫 專業平臺

考證寶提供最新考古題與模擬試題  
協助您高效通過認證考試

[www.kaozhengpro.com](http://www.kaozhengpro.com)

**Exam** : **JN0-105**

**Title** : Junos, Associate (JNCIA-  
Junos)

**Version** : DEMO

1.How many login classes are assignable to a user account?

- A. 3
- B. 2
- C. 4
- D. 1

**Answer:** D

**Explanation:**

[https://www.juniper.net/documentation/us/en/software/junos/user-access-evo/user-access/topics/topic-map/junos-os-login-](https://www.juniper.net/documentation/us/en/software/junos/user-access-evo/user-access/topics/topic-map/junos-os-login-class.html#:~:text=You%20can%20define%20any%20number,to%20an%20individual%20user%20account.)

[class.html#:~:text=You%20can%20define%20any%20number,to%20an%20individual%20user%20account.](https://www.juniper.net/documentation/us/en/software/junos/user-access-evo/user-access/topics/topic-map/junos-os-login-class.html#:~:text=You%20can%20define%20any%20number,to%20an%20individual%20user%20account.)

In Junos OS, each user account can be assigned only one login class. Login classes in Junos OS define the permissions for users, controlling what they can access and modify within the system. This setup helps in maintaining a clear and secure access control mechanism.

Reference: Junos OS Documentation on User Accounts and Login Classes.

2.You are asked to view the real-time usage statistics for the busiest interfaces on a device running Junos OS.

Which command will achieve this task?

- A. monitor traffic absolute-sequence
- B. monitor interface traffic
- C. monitor traffic
- D. show interfaces extensive

**Answer:** B

**Explanation:**

To view real-time usage statistics for the busiest interfaces on a device running Junos OS, the correct command is B, "monitor interface traffic." This command provides a dynamic, real-time view of the traffic flowing through the interfaces, allowing administrators to quickly identify and monitor the busiest interfaces on the device.

3.Which type of device uses the destination IP address to forward packets?

- A. Layer 3 router
- B. Layer 2 switch
- C. repeater
- D. hub

**Answer:** A

**Explanation:**

A Layer 3 router forwards packets based on the destination IP address. It operates at the network layer of the OSI model and uses routing tables to determine the best path for packet delivery. Unlike Layer 2 switches, which forward packets based on MAC addresses, routers handle logical addressing, making them crucial for inter-network communication.

Reference: Junos OS Documentation on Routing Fundamentals.

4.You have just increased the MTU size of interface ge-0/0/0 and committed the configuration.

Which command would help you identify the applied MTU change?

- A. monitor interface ge-0/0/0
- B. monitor traffic interface ge-0/0/0
- C. show interfaces ge-0/0/0 terse
- D. show interfaces ge-0/0/0

**Answer:** D

**Explanation:**

After increasing the MTU size of an interface and committing the configuration, the command to verify the applied MTU change is D, "show interfaces ge-0/0/0." This command displays detailed information about the interface, including the current MTU size, making it the best choice for verifying the applied changes.

5. When considering routing policies, which two statements are correct? (Choose two.)

- A. Routing policies are applied to interfaces as input or export filters.
- B. An import routing policy for BGP determines which received prefix advertisements are placed in the routing information base.
- C. Policy terms are evaluated from top to bottom with action taken on the first match found.
- D. Policy terms are evaluated from top to bottom with the most restrictive action taken of all the matching terms.

**Answer:** BC

**Explanation:**

Routing policies in Junos OS are crucial for controlling route advertisements and path selection. The correct answers are B and C. An import routing policy for BGP determines which received prefix advertisements are placed in the routing information base (RIB), and policy terms are evaluated from top to bottom, with action taken on the first match found. This sequential evaluation allows for precise control over routing decisions.